



BOASolaris Enterprise

Tel:+233 50 734 3083

+233 55 384 2336

E-Mail: info@boasolaris.com



PRODUCTS CATALOGUE 2017

Product	Features	Picture	Price
SML-01	<p>Aluminum Alloy Case.</p> <p>Separate Solar panel for outdoor.</p> <p>Easy mounting with 3.5 Meters cable.</p> <p>1000 Lumens Superbright LED light</p> <p>Replaceable and Rechargeable Li-ion Battery</p> <p>Sensitive PIR Motion Sensor 100% Solar</p>	<p>Item: SML-01</p> <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>420 GHC</p> <p>85,00 €</p>
SML-01T	<p>Remote control to set the timer and brightness</p> <p>Separate Solar panel for outdoor.</p> <p>Easy mounting with 3.5 Meters cable.</p> <p>1000 Lumens Superbright LED light</p> <p>Replaceable and Rechargeable Li-ion Battery</p> <p>Sensitive PIR Motion Sensor 100% Solar</p>	<p>Item: SML-01T</p> <p>Controller</p> <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>470 GHC</p> <p>95,00 €</p>



BOASolaris Enterprise

Tel:+233 50 734 3083

+233 55 384 2336

E-Mail: info@boasolaris.com



<p>SML-02</p>	<p>Patent integrated design Dim mode: warm lighting, High brightness mode: Purewhite 200 lumens superbright LED white and warm light Easy to install on wall and ideal for decoration</p>	<p>Item:SML-02</p>  <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>200 GHC 40,00 €</p>
<p>SML-03</p>	<p>1.Multifunctional solar light use for Wall ,hand, table, hang in the tree or on the rope 2.Different Light mode easily controlled 3.Waterproof IP 654. Unique design with patent</p>	<p>Item:SML-03</p>  <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>250 GHC 50,00 €</p>







BOASolaris Enterprise

Tel: +233 50 734 3083

+233 55 384 2336

E-Mail: info@boasolaris.com



<p>SLL-08</p>	<p>Aluminum Case with Strong and Elegant Patent design Multifunctional for Wall Washer, Advertising Lighting, Building & Bridge Decoration, Plant Landscape Decoration, Fence Light with Wide Range of Applications Adjustable Angle to Change the Lighting & Decorating Area Customizable Colors Base on Different Requirement, RGB Available</p>	<p>ITEM: SLL-08</p>   <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>550 GHC</p> <p>110,00 €</p>
<p>SLL-05</p>	<p>Interaction function to make the light between white color and blue color. IP68 Waterproof 4 days lighting time after the battery is full charged</p>	<p>Item: SLL-05</p>   <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>250 GHC</p> <p>50,00 €</p>




BOASolaris Enterprise

Tel: +233 50 734 3083

+233 55 384 2336

E-Mail: info@boasolaris.com



<p>SSL-02</p>	<p>Features: Elegant Integrated Design, Aluminum alloy case 48pcs Super bright LEDs, 2000 Lumens brightness equal to 200W normal lamp 15W solar panel and the battery can be easily replaced by users Night sensor + PIR motion sensor 120° wide lighting angle Support 3 nights after full charging. Easy to install and Auto on/off/PIR</p>	<p>Item: SSL-02</p>  <p>The packing</p> <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>1.600 GHC</p> <p>320,00 €</p>
<p>SLL-02</p>	<ol style="list-style-type: none"> 1). Aluminum alloy case, Patent design. 2). Super bright 44 LEDs, RGB 3). 9W solar panel can be replaced. 4). One button to choose 9 different lighting mode or off. Seven Colors for Decoration. 5). Easy to install 	<p>Item: SLL-02</p>  <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>520 GHC</p> <p>104,00 €</p>





BOASolaris Enterprise

Tel: +233 50 734 3083

+233 55 384 2336

E-Mail: info@boasolaris.com



<p>ESL-01</p>	<p>Features:</p> <p>Built-in full screen solar panel with high charging efficiency Soft full screen bright light. No dazzling point lighting Strong pressure-resistant stainless housing with firm glass5 nights Super long lighting time</p>	<p>Item: ESL-01</p>  <p>The packing</p>  <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>200 GHC</p> <p>40,00</p>
<p>ESL-04</p>	<p>Features: Aluminum alloy case, Patent integrated design 15.6W solar panel and 900lumens</p> <p>superbright LED light Professional light distribution for wide lighting</p> <p>Replaceable big battery, can support 3 nights. min lighting Easy to install on pole</p>	<p>Item: ESL-04</p>  <p>The packing</p>  <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>1.500 GHC</p> <p>300,00 €</p>






BOASolaris Enterprise

Tel: +233 50 734 3083

+233 55 384 2336

E-Mail: info@boasolaris.com



<p>ESL-06</p>	<p>Features:</p> <p>Elegant Patent design Aluminum case and Waterproof IP65 100% solar powered, wireless connection</p> <p>High quality warm LEDs for wide lighting area Over 3 nights lighting from dark to dawn</p>	<p>Item: ESL-06</p>  <p>The packing</p>  <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>200 GHC</p> <p>40,00 €</p>
<p>ESL-14</p>	<p>Features:</p> <p>Aluminum alloy case, Patent integrated design 35 W solar panel and 1500 lumens superbright</p> <p>LED light Replaceable big battery, can support over 3 nights lighting Easy to install on pole</p>	<p>Item: ESL-14</p>  <p>WWW.BOASOLARIS.COM</p>	<p>3.000 GHC</p> <p>600,00 €</p>





BOASolaris Enterprise

Tel:+233 50 734 3083

+233 55 384 2336

E-Mail: info@boasolaris.com



<p>ESL-15</p>	<p>Features:</p> <p>Elegant CUP design Warm white lighting for decorating Stainless Aluminum body100%</p> <p>solar powered, wireless connection Superbright LEDs, 100 Lumens Over 2 nights long lighting time, Waterproof IP65</p>	 <p>ESL-15</p> <p>www.boasolaris.com CE RoHS FC</p>	<p>250 GHC</p> <p>50,00 €</p>
<p>ESL-20</p>	<p>Features:</p> <p>Elegant Integrated Design, Aluminum alloy case Superbright LEDs,</p> <p>2000Lumens Every element can be easily replaced by users Over 140° wide lighting angle Support 3 nights lighting time Easy to install</p>	 <p>Item: ESL-20</p> <p>The packing :</p> <p>www.boasolaris.com CE RoHS FC</p>	<p>4.000 GHC</p> <p>800,00 €</p>



BOASolaris Enterprise

Tel:+233 50 734 3083

+233 55 384 2336

E-Mail: info@boasolaris.com



<p>ESL-21</p>	<p>Aluminum alloy case, Patent integrated design 3W solar panel and 700 lumens super bright LED light Night sensor + PIR motion sensor Replaceable big battery, can support 3 nights lighting Dim light and Bright light switch by PIR to save power 30% power 70 lumens Warm dim lighting + 700 lumens Pure white lighting 2 in 1 function Easy to install on wall or pole.</p>	<p>Item: ESL-21</p>  <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>400 GHC</p> <p>80,00 €</p>
<p>ESL-24</p>	<p>Features: Aluminum alloy case, Patent integrated design 50 W solar panel and 3000 lumens super bright LED light 9 LED panels for wide lighting area. Replaceable big battery, can support over 3 nights lighting</p>	<p>Item: ESL-24</p>  <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>6.200 GHC</p> <p>1.250,00 €</p>






BOASolaris Enterprise

Tel: +233 50 734 3083

+233 55 384 2336

E-Mail: info@boasolaris.com



<p>ESL-30</p>	<p>Features: Elegant Integrated Design, Aluminum alloy case Super bright LEDs, 3000 Lumens Every element can be easily replaced by users Over 140° wide lighting angle Support 3 nights lighting time Easy to install</p>	<p>Item: ESL-30</p>  <p>The packing :</p>  <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>4.900 GHC</p> <p>990,00 €</p>
<p>ESL-25</p>	<p>Features: Elegant CUP design Warm white lighting for decorating Stainless Aluminum body 100% solar powered, wireless connection Superbright LEDs, 100 Lumens Over 2 nights long lighting time, Waterproof IP65</p>	<p>Item ESL-25</p>  <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>300 GHC</p> <p>60,00 €</p>




BOASolaris Enterprise

Tel: +233 50 734 3083

+233 55 384 2336

E-Mail: info@boasolaris.com



<p>ESL-32</p>	<p>Features: Unique Motion sensor light Including Pure white and Warm light---Press the button to change the lighting mode between Pure white and Warm white. Both for lighting and decoration purpose 100% solar powered, wireless connection Elegant patent design, great for home decoration</p>	<p>Item: ESL-32</p>  <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>250 GHC 50,00 €</p>
<p>ESL-40</p>	<p>Features: Elegant Integrated Design, Aluminum alloy case Super bright LEDs, 4000 Lumens Every element can be easily replaced by users Over 140° wide lighting angle Support 3 nights lighting time Easy to install</p>	<p>Item: ESL-40</p>  <p>The packing</p> <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>5.950 GHC 1.200,00 €</p>





BOASolaris Enterprise

Tel:+233 50 734 3083

+233 55 384 2336

E-Mail: info@boasolaris.com



<p>ESL-48</p>	<p>Features:</p> <p>Elegant Integrated Design, Aluminum alloy case Super bright LEDs, 4800 Lumens</p> <p>Every element can be easily replaced by users Over 140° wide lighting angle Support 3 nights lighting itme Easy to install</p>	<p>Item: ESL-48</p>  <p>The packing</p> <p>Tips: Solar panel in the wood case, Lamp in the carton</p> <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>6.950 GHC</p> <p>1.400,00 €</p>
<p>SGL-01</p>	<p>Features:</p> <p>Warm white lighting for decorating 100% solar powered, wireless connection Super bright LEDs, 100 Lumens for whole night Over 3 nights long lighting time, Waterproof IP65 Battery Support zero-voltage charging, Short circuit & Over charging/discharging protection.</p>	<p>Item: SGL-01</p>  <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>350 GHC</p> <p>70,00 €</p>



BOASolaris Enterprise

Tel:+233 50 734 3083

+233 55 384 2336

E-Mail: info@boasolaris.com



<p>SGL-02</p>	<p>Features:</p> <p>Warm white lighting for decorating 100% solar powered, wireless connection Motion Sensor switch for energy saving and bright lighting. Over 3 nights long lighting time, Waterproof IP65 Battery Support zero-voltage charging, Short circuit & Overcharging/discharging protection.</p>	<p>Item:SGL-02</p>  <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>400 GHC</p> <p>80,00 €</p>
<p>SGL-04</p>	<p>Features:</p> <p>Warm white lighting for decorating 100% solar powered, wireless connection Motion Sensor switch for energy saving and bright lighting. Over 3 nights long lighting time, Waterproof IP65 Battery Support zero-voltage charging, Short circuit & Overcharging/discharging protection.</p>	<p>Item:SGL-04</p>  <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>420 GHC</p> <p>85,00 €</p>




BOASolaris Enterprise

Tel: +233 50 734 3083

+233 55 384 2336

E-Mail: info@boasolaris.com



<p>SLL-01</p>	<p>Features: Aluminum alloy case, Patent integrated design 3 pcs 13.5W High Efficiency Solar Panel 1200 lumens super bright LED, white and blue color. Replaceable big battery, can support 3 nights lighting Easy to install on pole and ideal for decoration</p>	<p>Item: SLL-01</p>  <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>4.450 GHC</p> <p>900,00 €</p>
<p>SLL-02</p>	<p>Features: Elegant Integrated Design, Aluminum alloy case Super bright LEDs, 7200 Lumens Every element can be easily replaced by users Over 140° wide lighting angle Support 3 nights lighting item Easy to install</p>	<p>Item: ESL-72</p>  <p>The packing</p> <p>Tips: Solar panel in the wood case, Lamp in the carton</p> <p>WWW.BOASOLARIS.COM CE RoHS FC</p>	<p>9.600 GHC</p> <p>1.940,00 €</p>



BOASolaris Enterprise

Tel: +233 50 734 3083

+233 55 384 2336

E-Mail: info@boasolaris.com



<p>SSL-04</p>	<p>Aluminum alloy case 72 pcs Superbright LEDs/3 LED panels, 5000 Lumens brightness equal to 500W normal lamp Constant current output! 33W solar panel and the battery can be easily replaced by users 230.88 WH big capacity battery With the balance charging system. Support zero-voltage charging Night sensor + PIR motion sensor PIR 120° wide detecting angle, 8m detecting distance Support 3 nights after full charging Easy to install and Auto on/off/PIR.</p>	 <p>Item: SSL-04</p> <p>3.520 GHC</p> <p>710,00 €</p> <p>WWW.BOASOLARIS.COM CE RoHS FC</p>
<p>SSL-05</p>	<p>Aluminum alloy case 96 pcs Super bright LEDs/4 LED panels, 8000 Lumens Brightness equal to 800W normal lamp Constant current output! 45W solar panel and the battery can be easily replaced by users 346.32 WH big capacity battery With the balance charging system. Night sensor + PIR motion sensor PIR 120° wide detecting angle, 8m detecting distance Support 3 nights after full charging Easy to install and Auto on/off/PIR.</p>	 <p>Item: SSL-05</p> <p>4.000 GHC</p> <p>810,00 €</p> <p>WWW.BOASOLARIS.COM CE RoHS FC</p>